

### Declaration of Performance

- |   |  |
|---|--|
| 1. Product type:  | External pedestrian locked steel doorset                     |
| 2. Product type number:   | W20-002-Door; W30-002-Door; W40-002-Door                     |
| 3. Intended use:  | On escape route  |
| 4. Manufacturer:  | <i>Rea Metal Windows Ltd, Green Lane, Liverpool, L13 7ED</i> |
| 5. Authorised representative:   | <i>Barry McCabe</i>  |
| 6. System of assessment of performance:                                 | 1  |
| 7. Reference harmonized standard:                                       | BS EN 14351-1:2006+A1:2010                                   |
| [BSI 0086] performed [tasks] and issued [certificate....., report.....] |  |
| Statement verified by [xxxxxx]  |  |
| Report [xxxxxx] issued by [notified body yyyy]                          |  |
| By calculation using EN ISO 10077-2                                     |  |
| 8. European Technical Assessment:                                       | Not applicable   |
| 9. Declared performance:  |  |


Essential Characteristic	Performance	Harmonised Technical Specification
Thermal transmittance	Better than 4.55w/m <sup>2</sup> k	BS EN 14351-1:2006+A1:2010
Dangerous substances	None	
Ability to release	EN-179 EN-1125 EN-1935	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Barry McCabe      Director

Rea Metal Windows Ltd




## Declaration of Performance

- |   |  |
|---|--|
| 1. Product type:                        | External pedestrian steel doorset                            |
| 2. Product type number:                 | W20-001-Door; W30-001-Door; W40-001-Door                     |
| 3. Intended use:                        | Not on escape route (other)                                  |
| 4. Manufacturer:                        | <i>Rea Metal Windows Ltd, Green Lane, Liverpool, L13 7ED</i> |
| 5. Authorised representative:           | <i>Barry McCabe</i>  |
| 6. System of assessment of performance: | 3  |
| 7. Reference harmonized standard:       | BS EN 14351-1:2006+A1:2010                                   |
|   | By calculation using EN ISO 10077-2                          |
| 8. European Technical Assessment:       | Not applicable   |

9. Declared performance:

Essential Characteristic	Performance	Harmonised Technical Specification
Thermal transmittance	Better than 4.55w/m <sup>2</sup> k	BS EN 14351-1:2006+A1:2010
Dangerous substances	None	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Barry McCabe Director

Rea Metal Windows Ltd

*Barry McCabe*      *July 2013.*

### Declaration of Performance

- |   |  |
|---|--|
| 1. Product type:                        | Double-glazed steel casement window                          |
| 2. Product type number:                 | W20-002-Win; W30-002-Win; W40-002-Win.                       |
| 3. Intended use:                        | Not on escape route (other)                                  |
| 4. Manufacturer:                        | <i>Rea Metal Windows Ltd, Green Lane, Liverpool, L13 7ED</i> |
| 5. Authorised representative:           | <i>Barry McCabe</i>  |
| 6. System of assessment of performance: | 3  |
| 7. Reference harmonized standard:       | BS EN 14351-1:2006+A1:2010                                   |
|   | By calculation using EN ISO 10077-2                          |
| 8. European Technical Assessment:       | Not applicable   |
| 9. Declared performance:                |  |

Essential Characteristic	Performance	Harmonised Technical Specification
Thermal transmittance	Better than 3.1w/m <sup>2</sup> k	BS EN 14351-1:2006+A1:2010
Dangerous substances	None	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Barry McCabe Director

Rea Metal Windows Ltd

*Barry McCabe July 2015.*

### Declaration of Performance

- |   |  |
|---|--|
| 1. Product type:                        | Double-glazed steel casement window                          |
| 2. Product type number:                 | W20-001-Win; W30-001-Win; W40-001-Win.                       |
| 3. Intended use:                        | Not on escape route (other)                                  |
| 4. Manufacturer:                        | <i>Rea Metal Windows Ltd, Green Lane, Liverpool, L13 7ED</i> |
| 5. Authorised representative:           | <i>Barry McCabe</i>  |
| 6. System of assessment of performance: | 3  |
| 7. Reference harmonized standard:       | BS EN 14351-1:2006+A1:2010                                   |
|   | By calculation using EN ISO 10077-2                          |
| 8. European Technical Assessment:       | Not applicable   |
| 9. Declared performance:                |  |

Essential Characteristic	Performance	Harmonised Technical Specification
Thermal transmittance	Better than 3.1w/m <sup>2</sup> k	BS EN 14351-1:2006+A1:2010
Dangerous substances	None	
Load-bearing capacity of safety device	350 N	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Barry McCabe

Rea Metal Windows Ltd

*Barry McCabe*

*July 2015*